INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY, VOL. 40, 893–895 (1991)

Subject Index to Volume 40

III–V compound semiconductors, 695
π-systems, 511

Ab initio, 127
Ab initio methods, for large systems, 797
Ab initio relativistic effective potentials, 829
Ab initio SCF calculations, on $[V_{10}0_{28}]^{6-}$, 723
Adiabatic approximation theorem, 3
Anions, 643
Approximated wave functions, 243
Atoms-in-a-molecule (AIM) approximation, 265
Auger process, 545

Band structures, 611
Basis set, 87, 97, 127
Basis set superposition errors (BSSE), 139
Bloch–Liouville equation, 649
Bond strength, 675
Born–Oppenheimer approach, 589
Box quantization, 211
Brillouin theorem, 243
Bromine basis set, 781
BSSE-free SCF algorithm, 139

Canonical functions method, 11
Catecholamine storage, 299
Charge transfer, 545
Closed-shell SCF wave functions, 179
Closed states, 605
Coherent-dissipative structures, 649
COLUMBUS standard integral file structure, 865
Complex scaling method (CSM), 649
Configuration interaction (CI), 709
Configuration-interaction (CI) wave-function method, 225
Conjugated chain polymers, 611
Contact transformation theory, 623
Continuum solvent effects, 299
Coordinate space grid (CSG), 577
Core potential integrals, 773
Correlation energy, 23
Correlation factor method, 23
Correlation functional, 421
Cyclic matrix, 703
Cyclobutadiene vibrational levels, 415

Density functional, 23
Density functional theory, 323, 589
Disordered condensed matter, 649
Eigenvalue problem, 11
Electric fields, 511
Electron-correlation, 323
Electronic wave function, 501
Electronegativity equalization equations, 265
Electron-pair bonds, 149
Equilibrium geometries, 149
Ethane rotational barrier, 149
Extended geminal models, 149

First-order geometrical response equations, 361

Gaussian basis sets, 723, 789
Gaussian *s* functions, 745
Green-function method, 225

H_2^+ energy spectrum calculation, 67
Hamiltonian, 347
Hamiltonian matrix, 685
Hamiltonian systems, 3
Harmonic barrier, 211
Harmonic oscillator, 457
Harmonic oscillator tensors, 623
Hartree–Fock, 559
Hartree–Fock atomic ground states, 527
Hartree–Fock densities, 379
Hartree–Fock method, 127
Heisenberg Lie algebra, 457
Hessians, 475
Higher analytic derivatives, 179
Hohenberg and Kohn (HK) theorem, 23
Hydrides, 643
Hydrogenic atomic densities, 379

Infrared (IR) spectroscopy, 179
Intermolecular interactions, 139
Internal electric field, 55
Intrinsic reaction coordinate (IRC), 435
Ionization potentials, 323
Ion–metal surface collisions, 545
Ion-molecule reactions, 64

© 1991 John Wiley & Sons, Inc.

Ion-pair formation, 299
Irreducible tensor method, 243

Jacobian matrix, 33

Kato's theorem, 409
Kohn–Sham approximation, 421

Lennard–Jones potential function, 11
Li—Ar, 789
Librational motion, 55
Localized orbitals, 389

Many-body perturbation theory (MBPT), 559
Many-electron systems, 501
Maximum overlap method, 675
McMurchie-Davidson tree-search problem, 809
MCSCF/MCLR analytical response theory calculations, 475
MO calculations, 127
Molecular beams, 643
Molecular energies, 781
Molecular orbitals, 305, 315, 545
Møller–Plesset calculations, 491
Momentum-space wave functions, 605
MRD–CI calculations, 389
MT potential, 87

n electrons, 225
Negative point charges, 695
Nonadiabatic solvation, 435
Non–Born–Oppenheimer approach, 589
Noninteracting kinetic energy functionals, 379
Non-MT molecular potential, 67
Nonorthogonal orbitals, 709
Normal mode representation, 265
Normalized irreducible tensorial matrices (NITM), 347

One-dimensional Gaussians, 703
One-dimensional systems, 405
One-particle energy levels, 289
Orbital overlap, 97
Orthonormalized atomic orbitals (OAOS), 703
Orbitals, 389
Overlap-integrals, 201

Pair–defect–sum approximation, 675
Parallel computers, 847
Pariser–Parr–Pople method, 315
Pauling's criterion, 675
Pleated sheet structure, 559
Permanent electric field, 33, 55
Perturbation theory, 97, 435
Perturbational crystal orbital (PCO) method, 611
Perturbed diatomic vibrator, 623
Point group symmetry, 243
Position-space wave functions, 605
Potential energy surface, 415, 475
Prism algorithm, 753
Proteins, 559
Photoexcited conducted polymers, 305, 315
Positive point charges, 695
Pyrolysis, 491
Quantum fluid dynamics, 501
Quantum localization, 211
Quantum mechanics, 3
Quantum rigid point dipole, 33, 55
Quark atoms, 323
Quasi-particle equation, 225

r^{-1} Coulomb interactions, 527
Raman intensities, 415
Rational potentials, 405
Reduced density matrix, 649

Scattering states, 605
SCF theory, 97
Schrödinger eigenvalue problem, 67, 87
Schrödinger equation, 289, 405
Schrödinger wave functions, 605
Self-consistent field (SCF) energy, 179
Self-consistent field (SCF) optimized modes, 685
Slater determinant basis, 201
Slater determinants, 709
Slater–Condon rules, 201
Soliton–antisolitan pair, 315
Solvents, 511
Spatial generalization, 409
Spin-free Hamiltonian, 709
Spin-orbit (core), 773
Spin-orbit operators, 829
Splitting method, 577
sp-type Hamiltonian, 347
Stabilization graphs, 211
State-averaged multiconfigurational self-consistent field (SA-MCSCF) calculation, 361
SW equations, 87
Symmetry, 243

Tensors, 457
Thomas–Fermi–Dirac dielectric function, 695
Time-resolved property determination, 577

Triatomic molecules, 685
Two-electron integrals, 753
Two-electron repulsion integrals, 745

Valence bond, 511
Valence bond theory, 201
Variational density-functional approach, 409
Vibrational energies, 685

Wannier functions, 703
Wave functions, 289, 305, 361, 491, 589
Wave-packet analysis, 577

INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY, VOL. 40, 903–906 (1991)

Author Index to Volume 40

Ågren, H. See Nordfors, D., 475
Almlöf, J. See Panas, I., 797
Amos, R. D. See Colwell, S. M., 179
Andres, J.
—; Krechl, J.; Carda, M.; Silla, E.: An Ab Initio Study of the Unimolecular Decomposition Mechanism of Formamidine. 4-31G Characterization of Potential Energy Hypersurface, 127
Atabek, O.
—; Lefebvre, R.; Sucre, M. Garcia; Gomez-Llorente, J.; Taylor, H.: Quantum Localization Over a Potential Barrier, 211

Bak, K. L.
—; Boatz, J.; Simons, J.: First-Order Geometrical Response Equations for State-Averaged Multiconfigurational Self-Consistent Field (SA-MCSCF) Wave Functions, 361
Bakuradze, R. Sh.
—; Stankevich, I.V.: On Some Relations to Wave Functions of One-Dimensional Schrödinger Equation, 289
Bastida, A. See Hidalgo, A., 685
Benard, S. D. See Rohmer, M-M., 723
Bertrán, J. See Solà, M., 511
Binning, Jr., R. C. See Curtiss, L. A., 781
Blaudeau, J. P. See Wallace, N. M., 789
Boada, R. L.
—; Karasiov, V.V.; Labzowsky, L. N.: Second-Order Correlation Potential in the Kohn–Sham Approximation for Atoms, 421
Boatz, J. See Bak, K. L., 361
Bøhm, S.
—; Skancke, P. N.: A Quantum Chemical Investigation of Pyrolysis Reactions of Glyoxylic Acid Ethylester, 491
Brändas, E. J.
—; Chatzidimitriou-Dreismann, C. A.: On the Connection Between Certain Properties of the Second-Order Reduced Density Matrix and the Occurrence of Coherent-Dissipative Structures in Disordered Condensed Matter, 649
Buenker, R. J. See Chapman, D. A., 389

Campoy, G. See Rivas-Silva, J. F., 405
Carda, M. See Andrés, J., 127
Čársky, P.
—; Downing, J.W.; Michl, J.: A_g Vibrational Levels of Cyclobutadiene on a New Potential Energy Surface, 415
Casida, M. E.
—; Chong, D. P.: Quasi-Particle Equation from the Configuration-Interaction (CI) Wave-Function Method, 225
Chandramohan, D. See Gurumurugan, K., 695
Chapman, D. A.
—; Kaufman, J. J.; Buenker, R. J.: Ab Initio MRD–CI Calculations on Cubane (Neutral, Carbocation, Carboanion) and —C—NO_2 Dissociation of Nitrocubanes Based on Localized Orbitals, 389
Chatzidimitriou-Dreismann, C. A. See Brändas, E. J., 649
Chong, D. P. See Casida, M. E., 225
Christiansen, P. A. See Ermler, W. C., 829
Christoffersen, R. E.
Review of *Basic Principles and Techniques of Molecular Quantum Mechanics*, 719
Clementi, E. See Mohanty, A., 429
Colwell, S. M.
—; Jayatilaka, D.; Maslen, P. E.; Amos, R. D.; Handy, N. C.: Higher Analytic Derivatives. I. A New Implementation for the Third Derivative of the SCF Energy, 179
Curtiss, L. A.
—; Binning, Jr., R. C.: A Contracted Bromine Basis Set for Use in Calculation of Molecular Energies, 781

Deb, B. M. See Sukumar, N., 501
Downing, J.W. See Čársky, P., 415
Duran, M. See Solà, M., 511

© 1991 John Wiley & Sons, Inc.

Ellzey, Jr., M. L.
Normalized Irreducible Tensorial Matrix Expansions Applied to an Effective *sp*-Type Hamiltonian for the PES of Water, 347
Ermler, W. C.
—; Ross, R. B.; Christiansen, P. A.: Ab Initio Relativistic Effective Potentials with Spin-Orbit Operators. VI. Fr Through Pu, 829
Ernenwein, R. See Rohmer, M-M., 723

Fakhreddine, K. See Kobeissi, H., 11
Feng, E. Q.
—; Micha, D. A.; Runge, K.: A Time-Dependent Molecular Orbital Approach to Electron Transfer in Ion–Metal Surface Collisions, 545
Feyereisen, M. W. See Panas, I., 797
Francés, J. M. See Hidalgo, A., 685
Fueno, H. See Tachibana, A., 435

Gegusin, I. I.
The Rigorous (Nonvariational) Solution of the Schrödinger Equation for a Molecular Potential of Arbitrary Shape. I. General Formulation, 67
The Rigorous (Nonvariational) Solution of the Schrödinger Equation for a Molecular Potential of Arbitrary Shape. II. The Basis Functions, Discrete Spectrum, and the Special Case of MT Potential, 87
Gill, P. M. W.
—; Johnson, B. G.; Pople, J. A.: Two-Electron Repulsion Integrals Over Gaussian *s* Functions, 745
—; Pople, J. A.: The Prism Algorithm for Two-Electron Integrals, 753
—; See Johnson, B. G., 809
Gingold, H.
A Counterexample and a Modification to the Adiabatic Approximation Theorem in Quantum Mechanics, 3
Godefroid, M.
—; Lievin, J.; Metz, J.-Y.: Symmetry Adapted Formulation of the Generalized Brillouin Theorem, 243
Gómez-Jeria, J. S.
—; Parra-Mouchet, J.: Quantum-Chemical Modeling of Catecholamine Storage Including Continuum Solvent Effects, 299
Gomez-Llorente, J. See Atabek, O., 211
Grant, A. J.
—; Pickup, B. T.: SCF Theory of Molecular Interactions, 97
Guo, Y.
—; Whitehead, M. A.: Ionization Potentials, Electron Affinities, Electronegatives, and Hardnesses of Fractional Charged Atoms from the Density-Functional Theory, 323
Gurumurugan, K.
—; Chandramohan, D.: Analytic Form of Thomas–Fermi–Dirac Dielectric Function for III–V Compound Semiconductors, 695

Handy, C. See Colwell, S. M., 179
Harrison, R. J.
Portable Tools and Applications for Parallel Computers, 847
He, H. Y.
—; Huang, L. R.: Study of the Substituent Effect on Conjugated Chain Polymers by Quantitative PCO Method, 611
Hess, Jr., B. A.
—; Zahradník, R.: A Quantum-Chemical Study of the $LiH + LiH^{\cdot-} \rightleftarrows LiH_2^- + Li^{\cdot}$ Reaction, 643
Hidalgo, A.
—; Zúñiga, J.; Francés, J. M.; Bastida, A.; Requena, A.: Variational Calculation of Vibrational Energies of Triatomic Molecules Using SCF Optimized Modes, 685
Huang, L. R. See He, H. Y., 611
Hui-Yun, P.
—; Sen, Z. Z.: On the Conditions for Physical Admissibility of Schrödinger Wave Functions, 605

Iyakutti, K.
—; Thiagarajan, M.; Kumarasamy, K.: Transforming Gaussians into Wannier Functions Using Inversion of Cyclic Matrix, 703

Jayatilaka, D. See Colwell, S. M., 179
Jensen, H. Jørgen Aa. See Nordfors, D., 475
Johnson, B. G. See Gill, P. M. W., 745
—; Gill, P. M. W.; Pople, J. A.: Exact and Approximate Solutions to the One-Center McMurchie–Davidson Tree-Search Problem, 809
Jørgen, H. See Nordfors, D., 475

Karasiov, V. V. See Boada, R. L., 421
Kaufman, J. J. See Chapman, D. A., 389
Kobeissi, H.
—; Fakhreddine, K.; Kobeissi, M.: On a Canonical Functions Approach to the

Elastic Scattering Phase-Shift Problem, 11
Kobeissi, M. See Kobeissi, H., 11
Krechl, J. See Andrés, J., 127
Kryachko, E. S.
—; Yanovitskii, O. E.: Quantum Rigid Dipole in a Permanent Electric Field. I. Rigorous Treatment, 33
—; Yanovitskii, O. E.: Quantum Rigid Dipole in a Permanent Electric Field. II. Model of Librational Motion in Liquid Water and Ice Ih: Preliminary Results, 55
—; Ludeña, E.V.; Mujica, V.: Formulation of *N*- and *v*-Representable Density Functional Theory. IV. Non-Born–Oppenheimer Approach, 589
Kumarasamy, K. See Iyakutti, K., 703

Labzowsky, L. N. See Boada, R. L., 421
Lefebvre, R. See Atabek, O., 211
Lester, Jr., W. A. See Pernot, P., 577
Levy, M. See Ou-Yang, H., 379
Lievin, J. See Godefroid, M., 243
Lledós, A. See Solà, M., 511
Löwdin, P-O.
International Journal of Quantum Chemistry—A Journal Devoted to Quantum Theory and Computations in Chemistry, Condensed Matter Physics, and Biology: Editorial—Program and Policies, 1
Ludeña, E.V. See Kryachko, E. S., 589

Maslen, P. E. See Colwell, S. M., 179
Mayer, I.
—; Vibók, Á.: A BSSE-Free SCF Algorithm for Intermolecular Interactions, 139
Metz, J.-Y. See Godefroid, M., 243
Micha, D. A. See Feng, E. Q., 545
Michl, J. See Čársky, P., 415
Mohanty, A.
—; Clementi, E.: Erratum: Dirac–Fock Self-Consistent Field Method for Closed-Shell Molecules with Kinetic Balance and Finite Nuclear Size, 429
Morales-Lagos, D. See Gómez-Jeria, J. S., 299
Moscardó, F.
—; San-Fabián, E.: A Density Functional for the Correlation Energy, Deduced in the Framework of the Correlation Factor Approach, 23
Mujica, V. See Kryachko, E. S., 589

Nalewajski, R. F.
Normal (Decoupled) Representation of Electronegativity Equalization Equations in a Molecule, 265
Nordfors, D.
—; Ågren, H.; Jensen, H. Jørgen Aa.: MCSCF/MCLR Studies of Potential Energy Surfaces, Spectra, and Properties of the X^1A_1 and a^3B_2 States of Ozone, 475

Ou-Yang, H.
—; Levy, M.: Approximate Noninteracting Kinetic Energy Functionals from a Nonuniform Scaling Requirement, 379

Palma, A. See Rivas-Silva, J. F., 405
Palting, P.
Harmonic Oscillator Tensors. I. The Nondegenerate Case, 457
—; Villa, M.: Harmonic Oscillator Tensors in Contact Transformation Theory, 623
Panas, I.
—; Almlöf, J.; Feyereisen, M.W.: Ab Initio Methods for Large Systems, 797
Parra-Mouchet, J. See Gómez-Jeria, J. S., 299
Pernot, P.
—; Lester, Jr., W. A.: Multidimensional Wave-Packet Analysis: Splitting Method for Time-Resolved Property Determination, 577
Pickup, B.T. See Grant, A. J., 97
Pitzer, R. M.
—; Winter, N.W.: Spin-Orbit (Core) and Core Potential Integrals, 773
—; See Wallace, N. M., 789
Pople, J. A. See Johnson, B. G., 809
—; See Gill, P. M.W., 745
—; See Gill, P. M.W., 753
Pyykkö, P.
—; Zhao, Y.: The Elements of Flatland: Hartree–Fock Atomic Ground States in Two Dimensions for $Z = 1$–24, 527

Rettrup, S.
—; Thorsteinsson, T.: A Graphical Approach to Configuration Interaction Studies in Molecules Using Determinants of Nonorthogonal Orbitals, 709
Requena, A. See Hidalgo, A., 685
Røeggen, I.
Atoms and Electron-Pair Bonds in a Molecule: An Approach within the Context of Extended Geminal Models, 149
Rohmer, M. M.
—; Ernenwein, R.; Ulmschneider, M.; Wiest, R.; Benard, M.: Ab Initio SCF Calculations on $[V_{10}O_{28}]^{6-}$: A Benchmark

for the Classical Calculation and Processing of Molecular Integrals on Large Gaussian Basis Sets, 723
Ross, R. B. See Ermler, W. C., 829
Rivas-Silva, J. F.
—; Campoy, G.; Palma, A.: Calculating Energy Spectrum of One-Dimensional Quantum Systems with Rational Potential $P(X)/Q(X)$, 405
Runge, K. See Feng, E. Q., 545

San-Fabián, E. See Moscardó, F., 23
Shepard, R.
The COLUMBUS Standard Integral File Structure: A Proposed Interchange Format, 865
Silla, E. See Andrés, J., 127
Simons, J. See Bak, K. L., 361
Skancke, P. N. See Bøhm, S., 491
Solà, M.
—; Lledós, A.; Duran, M.; Bertran, J.: Analysis in Terms of Valence-Bond Structures of Environmental Effects on the Electronic Structure of Molecules, 511
Stankevich, I. V. See Bakuradze, R. Sh., 289
Sucre, M. Garcia See Atabek, O., 211
Suhai, S.
The Electronic Structure of Parallel β-Pleated Sheets in Proteins: An Ab Initio Computation Including Electron Correlation, 559
Sukumar, N.
—; Deb, B. M.: Phase Associated with the Single-Particle Density of Many-Electron Systems, 501

Tachibana, A.
—; Fueno, H.; Yamato, M.; Yamabe, T.: Second-Order Perturbational Treatment of Normal Coordinates in the String Model for the Hydration Reaction of Formaldehyde, 435
Takeuchi, T. See Tanaka, K., 315
Tanaka, K.
—; Yoshizawa, K.; Yamabe, T.: Midgap Levels of Photoexcited Conductive Polymers. I. A Simple Description of the Midgap Levels Based on Molecular Orbital Interaction, 305
—; Yoshizawa, K.; Takeuchi, T.; Yamabe, T.: Midgap Levels of Photoexcited Conductive Polymers. II. Detailed Analysis of *trans*-Polyacetylene, 315
Taylor, H. See Atabek, O., 211
Thiagarajan, M. See Iyakutti, K., 703
Thorsteinsson, T. See Rettrup, S., 709

Ulmschneider, M. See Rohmer, M. M., 723

Van Lenthe, J. H. See Verbeek, J., 201
Verbeek, J.
—; Van Lenthe, J. H.: The Generalized Slater–Condon Rules, 201
Vibók, Á. See Mayer, I., 139
Villa, M. See Palting, P., 623

Wallace, N. M.
—; Optimized Gaussian Basis Sets for Use with Relativistic Effective (Core) Potentials: Li—Ar, 789
Whitehead, M. A. See Guo, Y., 323
Wiest, R. See Rohmer, M. M., 723
Winter, N. W. See Pitzer, R. M., 773

Yamabe, T. See Tachibana, A., 435
—; See Tanaka, K., 305
—; See Tanaka, K., 315
Yamato, M. See Tachibana, A., 435
Yanovitskii, O. E. See Kryachko, E. S., 33
—; See Kryachko, E. S., 55
Yoshizawa, K. See Tanaka, K., 305
—; See Tanaka, K., 315

Zahradník, R. See Hess, Jr., B. A., 643
Zhan, C.-G.
Pauling's Criterion of Bond Strength and the Relative Bond Lengths in Molecule ML_k, 675
Zhao, Y. See Pyykkö, P., 527
Zúñiga, J. See Hidalgo, A., 685
Zu Sen, Z. See Hui-Yun, P., 605